Product data sheet 3SF1114-1KA00-1BA1



Manufacturer article number / of the basic unit included in the scope of supply

3SF1114-1KA00-1BA1

General technical details:			
Product feature		with integrated ASIsafe electronics	
Type of voltage / of the supply voltage			
of the optional LED display		DC	
Insulation voltage			
• rated value	V	30	
Degree of pollution		class 3	
Mechanical operating cycles as operating time			
• typical		15,000,000	
Repeat accuracy	mm	0.1	
Design of the contact element		slow-action contacts	
Number of NC contacts			
for auxiliary contacts		2	
Design of the switching function		positive opening	
Number of NO contacts			
for auxiliary contacts		0	
Resistance against vibration		0.35 mm / 5g	
Resistance against shock		30g / 11 ms	

Ambient temperature		
during operating	°C	-25 +60
during storage	°C	-40 <b>+</b> 80
Product specification		
• for dimensions		EN 50041
Width of the sensor	mm	40
Material		
of the enclosure		metal
Actuating speed	mm/s /	0.4
Protection class IP		IP66/IP67
mounting position		any
Design of the electrical connection		plug M12
Design of the plug-in connection		M12 plug, 4-pole: Pin 1 = ASI+ , Pin 2 = not assigned, Pin 3= ASI-, Pin 4 = not assigned
Item designation		
<ul> <li>according to DIN 40719 extendable after IEC 204-2 / according to IEC 750</li> </ul>		S
according to DIN EN 61346-2		В

# Certificates/approvals:

### **General Product Approval**













Functional Safety /
Safety of
Machinery

Declaration of Conformity

Test Certificates

other





Special Test Certificate other

### **Further information:**

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

#### Industry Mall (Online ordering system)

 $\underline{\text{http://www.siemens.com/industrial-controls/mall}}$ 

#### **CAx-Online-Generator**


http://www.siemens.com/cax

## Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

 $\underline{\text{http://support.automation.siemens.com/WW/view/en/3SF1114-1KA00-1BA1/all}}$ 

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax\_en.aspx?mlfb=3SF1114-1KA00-1BA1}}$ 



last change: Jan 21, 2013