

Label holder, 22mm, for twin pushbutton, flat, black, for labeling plate
12.5 mm x 27 mm




Figure similar

Product brand name	SIRIUS ACT
Product designation	Label holder
Design of the product	for labeling plate 12.5 x 27 mm for twin pushbuttons
Product type designation	3SU1
General technical data	
Protection class IP	IP66, IP67, IP69(IP69K)
Degree of protection NEMA rating	NEMA 1, 2, 3, 3R, 4, 4X, 12
Shock resistance	Category 1, Class B
• for railway applications acc. to DIN EN 61373	
Vibration resistance	Category 1, Class B
• for railway applications acc. to DIN EN 61373	
Installation/ mounting/ dimensions	
Height	73.6 mm
Width	29.8 mm
Accessories	
Material of accessory	Plastic
Shape of label holder	square at bottom

Color of label holder	Black
Mounting type of label	stick

Certificates/approvals

General Product Approval			Declaration of Conformity	Test Certificates
				Declaration of the Compliance with the order
CSA	UL		EG-Konf.	Special Test Certificate

other

[Confirmation](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0AK10-0AA0>

Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0AK10-0AA0>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0AK10-0AA0>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0AK10-0AA0&lang=en



last modified:

09/24/2018