

Silicone protection cap for Twin pushbutton, flat, clear



Product brand name	SIRIUS ACT
Product designation	Silicone protective cap
Design of the product	for twin pushbuttons, flat
Product type designation	3SU1

### General technical data

Protection class IP	IP66, IP67
Degree of protection NEMA rating	1, 2, 3, 3R, 4, 4X, 12

### Ambient conditions

Ambient temperature	
<ul style="list-style-type: none"> <li>during operation</li> <li>during storage</li> </ul>	<p>-25 ... +70 °C</p> <p>-40 ... +80 °C</p>

### Installation/ mounting/ dimensions

Height	60 mm
Width	32.1 mm
Depth	25.9 mm

### Accessories

Material of accessory	Plastic
Color of accessory	clear

## Certificates/ approvals

### General Product Approval



CSA



UL



EG-Konf.

### Declaration of Conformity

[Miscellaneous](#)

### Test Certificates

[Type Test Certificates/Test Report](#)

## Marine / Shipping



ABS



LRS



PRS



RINA



RMRS



DNVGL.COM/AF

## other

[Confirmation](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3SU1900-0DG70-0AA0>

### Cax online generator



<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3SU1900-0DG70-0AA0>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3SU1900-0DG70-0AA0>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3SU1900-0DG70-0AA0&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3SU1900-0DG70-0AA0&lang=en)



last modified:

04/04/2020