SIEMENS

Product data sheet 3TC4417-0BR0



CONTACTOR, SIZE 2, 2-POLE DC-3 AND 5,RATD.OPERAT.CURR.32A AUXILIARY CONTACTS 22 (2NO+2NC) AC OPERATION AC 415V 50HZ/AC 500V 60HZ

General details:		
Size of the contactor		2
Number of poles		2
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		К
Reference code / according to DIN EN 61346-2		Q
Protection class IP		IP00
Ambient temperature		
during operating	°C	-25 +55

Control circuit:		
Type of voltage		AC
Control supply voltage		
• at 50 Hz / at AC / rated value / minimum	V	415
• at 50 Hz / at AC / rated value / maximum	V	415
• at 60 Hz / at AC / rated value / minimum	V	500
• at 60 Hz / at AC / rated value / maximum	V	500

Main circuit:	
Number of NO contacts / for main contacts	2
Number of NC contacts / for main contacts	0

Operating current		
• at DC-3 / at DC-5 / at 440 V / rated value	А	29
• at DC-3 / at DC-5 / at 220 V / rated value	А	32
• at DC-3 / at DC-5 / at 600 V / rated value	А	21
• at DC-3 / at DC-5 / at 750 V / rated value	А	7.5
Service power		
• at DC-3 / at DC-5 / at 110 V / rated value	kW	2.5
• at DC-3 / at DC-5 / at 220 V / rated value	kW	5
• at DC-3 / at DC-5 / at 440 V / rated value	kW	9
• at DC-3 / at DC-5 / at 600 V / rated value	kW	9
• at DC-3 / at DC-5 / at 750 V / rated value	kW	4

Auxiliary circuit:	
Identification number and letter for switching elements	22
Number of NO contacts / for auxiliary contacts	2
Number of NC contacts / for auxiliary contacts	2
Number of changeover contacts / for auxiliary contacts	0

Connection type:	
Design of the electrical connection / for main current circuit	screw-type terminals
Design of the electrical connection / for auxiliary and control current circuit	screw-type terminals

Mechanical design:		
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022
Mounting type / series installation		Yes
Width	mm	70
Height	mm	85
Depth	mm	104

Certificates/approvals:

General Product Approval

Test Certificates

Shipping Approval









Special Test Certificate



other

Declaration of Conformity

other

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator:


http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3TC4417-0BR0/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TC4417-0BR0}$



last change: Jul 7, 2014