SIEMENS

Product data sheet 3TC5217-0BU0



CONTACTOR, SIZE 8, 2-POLE DC-3 AND 5,RATD.OPER.CURR. 220A AUXILIARY CONTACTS 22 (2NO+2NC) AC OPERATION AC 240V 50HZ/288V 60HZ

	8
	2
	К
	Q
	IP00
°C	-25 +55
	°C

Control circuit:		
Type of voltage		AC
Control supply voltage		
• at 50 Hz / at AC / rated value / minimum	V	240
• at 50 Hz / at AC / rated value / maximum	V	240
• at 60 Hz / at AC / rated value / minimum	V	288
• at 60 Hz / at AC / rated value / maximum	٧	288

Main circuit:	
Number of NO contacts / for main contacts	2
Number of NC contacts / for main contacts	0

Operating current		
• at DC-3 / at DC-5 / at 440 V / rated value	А	220
• at DC-3 / at DC-5 / at 220 V / rated value	А	220
• at DC-3 / at DC-5 / at 600 V / rated value	А	220
• at DC-3 / at DC-5 / at 750 V / rated value	А	170
Service power		
• at DC-3 / at DC-5 / at 110 V / rated value	kW	20
• at DC-3 / at DC-5 / at 220 V / rated value	kW	41
• at DC-3 / at DC-5 / at 440 V / rated value	kW	82
• at DC-3 / at DC-5 / at 600 V / rated value	kW	110
• at DC-3 / at DC-5 / at 750 V / rated value	kW	110

Auxiliary circuit:	
Identification number and letter for switching elements	22
Number of NO contacts / for auxiliary contacts	2
Number of NC contacts / for auxiliary contacts	2
Number of changeover contacts / for auxiliary contacts	0

Connection type.	
Design of the electrical connection / for main current circuit	screw-type terminals
Design of the electrical connection / for auxiliary and control current circuit	screw-type terminals

Mechanical design:		
Mounting type		screw fixing
Mounting type / series installation		Yes
Width	mm	135
Height	mm	237.5
Depth	mm	204

Certificates/approvals:

General Product Approval







Special Test Certificate

Test Certificates

Type Test
Certificates/Test
Report

Shipping Approval

other



Declaration of Conformity

other

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator:


http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3TC5217-0BU0/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TC5217-0BU0



last change: Aug 4, 2014