SIEMENS

Product data sheet 3TC7414-0EB



CONTACTOR SIZE 12, 1-POLE DC-3 AND 5,RATD.OPER.CURR. 400A AUXILIARY CONTACTS 44 (4NO+4NC) DC OPERATION DC 24V

General details:				
Size of the contactor		12		
Number of poles		1		
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		К		
Reference code / according to DIN EN 61346-2		Q		
Protection class IP		IP00		
Ambient temperature				
during operating	°C	-25 +55		
Control circuit:				
Type of voltage		DC		
Control supply voltage				
• for DC / rated value / minimum	V	24		
• for DC / rated value / maximum	V	24		
Main circuit:				
Main circuit:				
Main circuit: Number of NO contacts / for main contacts		1		
		1 0		
Number of NO contacts / for main contacts				

• at DC-3 / at DC-5 / at 220 V / rated value	Α	400
• at DC-3 / at DC-5 / at 600 V / rated value	Α	400
• at DC-3 / at DC-5 / at 750 V / rated value	Α	400
Service power		
• at DC-3 / at DC-5 / at 110 V / rated value	kW	35
• at DC-3 / at DC-5 / at 220 V / rated value	kW	70
• at DC-3 / at DC-5 / at 440 V / rated value	kW	140
• at DC-3 / at DC-5 / at 600 V / rated value	kW	200
• at DC-3 / at DC-5 / at 750 V / rated value	kW	250

Auxiliary circuit:	
Identification number and letter for switching elements	44
Number of NO contacts / for auxiliary contacts	4
Number of NC contacts / for auxiliary contacts	4
Number of changeover contacts / for auxiliary contacts	0

Connection type:	
Design of the electrical connection / for main current circuit	screw-type terminals
Design of the electrical connection / for auxiliary and control current circuit	screw-type terminals

Mechanical design:		
Mounting type		screw fixing
Mounting type / series installation		Yes
Width	mm	78
Height	mm	360
Depth	mm	276

Certificates/approvals:

General Product Approval Test Certificates other





Special Test Certificate Declaration of Conformity

other

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

 $\underline{\text{http://www.siemens.com/industrial-controls/mall}}$


Cax online generator:

http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3TC7414-0EB/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TC7414-0EB



last change: Aug 4, 2014