

CONTACTOR SIZE 14, 3-POLE AC-3, 335KW, 400/380V (690V)  
AUXILIARY CONTACTS 44 (4NO+4NC) AC OPERATION AC 200  
TO 240V 50/60HZ WITHOUT OVERVOLTAGE DAMPING IN THE  
MAIN CIRCUIT



Figure similar

Certificates/ approvals:

General Product Approval	Functional Safety/Safety of Machinery
--------------------------	---------------------------------------



[Baumusterprüfbescheinigung](#)

Functional Safety/Safety of Machinery	Declaration of Conformity	Test Certificates	Shipping Approval
---------------------------------------	---------------------------	-------------------	-------------------

[Baumusterbescheinigung](#)



[spezielle Prüfbescheinigung](#)

[Typprüfbescheinigung/Werkszeugnis](#)



Shipping Approval	other
-------------------	-------



GL



LRS



PRS



RMRS

[Umweltbestätigung](#)

[sonstig](#)

**Further information**

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/industrial-controls/catalogs>

**Industry Mall (Online ordering system)**

<http://www.siemens.com/industrymall>

**Cax online generator**


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3TF6844-0CM7-Z A02>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**


<https://support.industry.siemens.com/cs/ww/en/ps/3TF6844-0CM7-Z A02>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_de.aspx?mlfb=3TF6844-0CM7-Z A02&lang=en](http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3TF6844-0CM7-Z A02&lang=en)



last modified:



07/07/2016