SIEMENS

Product data sheet 3TH4454-0AL2



CONTACTOR RELAY 54 EN 50 011 5NO+4NC F.SNAP-ON AND SCREW MOUNTING W.MECHANICAL LATCHING AC OPERATION AC 230V 50/60HZ

General details:			
Size of the contactor		0	
Ambient temperature			
during operating	°C	-25 +55	
Protection class IP / on the front		IP20	
Reference code			
 according to DIN 40719 extended according to IEC 204-2 / according to IEC 750 		Κ	
• according to DIN EN 61346-2		κ	
• according to DIN EN 81346-2		К	

Control circuit:			
Voltage type / of control feed voltage		AC	
Control supply voltage frequency			
• 1	Hz	50	
• 2	Hz	60	
Control supply voltage			
• at 50 Hz / at AC / rated value	٧	230	
• at 60 Hz / at AC / rated value	V	230	

Auxiliary circuit:

Α	10
Α	6
	54
	4
	0
	0
	0
	5
	0
	0
	0
	0

Connection type:

Design of the electrical connection / for auxiliary and control current circuit

screw-type terminals

Mechanical design:			
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022	
Width	mm	55	
Height	mm	78	
Depth	mm	140	

Certificates/approvals:

General Product Approval

Functional Safety / Safety of Machinery









Type Examination

Test Certificates

other

Special Test Certificate Type Test
Certificates/Test
Report

Shipping Approval









other

Declaration of Conformity

other

Environmental Confirmations

Safety:

Protection against electrical shock		finger-safe
B10 value / with high demand rate		
according to SN 31920		1,000,000
• note		With 0.3 x le
T1 value / for proof test interval or service life / according to IEC 61508	а	20

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator

http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3TH4454-0AL2/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

 $\underline{\text{http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TH4454-0AL2}}$

last change: Jun 16, 2014