SIEMENS

Product data sheet 3TK2040-3BB4



MINIATURE POWER RELAY TAB CONNECTOR, 4NO SNAP-ON MOUNTING ON STANDARD MOUNTING RAIL DC SOLENOID SYSTEM DC 24V

General details:		
Size of the contactor		00
Protection class IP / on the front		IP00
Ambient temperature / during operating	°C	-25 +55
Reference code / according to DIN 40719 extended according to IEC 204-2 / according to IEC 750		К
Reference code / according to DIN EN 61346-2		Q
Number of poles / for main current circuit		4
Operating current / at AC-1 / at 400 V		
• at 40 °C ambient temperature / rated value	Α	16

Main circuit:		
Number of NC contacts / for main contacts		0
Number of NO contacts / for main contacts		4
Operating current / at AC-3 / at 400 V / rated value	Α	9
Operating performance		
• at AC-3 / at 400 V / rated value	kW	4
• at AC-1 / at 400 V / rated value	kW	10

Control circuit:	
Design of activation / of the operating mechanism	conventional

	DC
V	24
	0
	0
	0
	0
	V

	liarv	31112

Design of the electrical connection / for main current circuit	tab terminals 6,3 mm
Design of the electrical connection / for auxiliary and control current circuit	tab terminals 6.3 mm

Mechanical design:			
Mounting type		screw and snap-on mounting onto 35 mm standard mounting rail according to DIN EN 50022	
Mounting type / series installation		Yes	
Width	mm	45	
Height	mm	48	
Depth	mm	64.5	

Certificates/approvals:

General Product Approval





Test Certificates

Special Test Certificate

Shipping Approval







Declaration of Conformity

other

Environmental Confirmations

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/industrial-controls/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/industrial-controls/mall

Cax online generator:

http://www.siemens.com/cax

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/3TK2040-3BB4/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3TK2040-3BB4

last change: Aug 4, 2014