



SEALABLE COVER FOR INSULATION MONITORING
RELAY 3UG4581 AND 3UG4582 WIDTH 22.5 MM

Product function

Cover

General technical details:

Ambient temperature / during operating

°C

-25 ... +60

Mechanical design:

Width

mm

22.5

Height

mm

68

Depth

mm

107

mounting position

any

Distance, to be maintained, to earthed part

- forwards
- backwards
- sideways
- upwards
- downwards

mm
mm
mm
mm
mm

0
0
0
0
0

Distance, to be maintained, to the ranks assembly

- forwards
- backwards
- sideways
- upwards

mm
mm
mm
mm

0
0
0
0

• downwards	mm	0
Distance, to be maintained, conductive elements		
• forwards	mm	0
• backwards	mm	0
• sideways	mm	0
• upwards	mm	0
• downwards	mm	0

Certificates/approvals:

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

Cax online generator:



<http://www.siemens.com/cax>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/3UG4981-0C/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3UG4981-0C



last change:

Jun 16,
2014