



operating unit with rod complete kit comprising: handle steel, chromium-plated NEMA 4, 4X black=OFF, red=ON for depths 200 to 400mm  
switching mechanism accessory for: 3VA5 125

| Model                            |                                        |
|----------------------------------|----------------------------------------|
| product brand name               | SETRON                                 |
| product designation              | Accessories                            |
| Product version                  | Manual lever operating mechanism       |
| Accessories                      | Variable depth flange mounted operator |
| General technical data           |                                        |
| degree of protection NEMA rating | NEMA 4, 4X                             |
| Mechanical Design                |                                        |
| net weight                       | 2 274 g                                |
| Further information              |                                        |

**Information- and Downloadcenter (Catalogs, Brochures,...)**

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9138-0DK82>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9138-0DK82>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**



[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3VA9138-0DK82](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9138-0DK82)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



last modified:

12/20/2020 

