


front mounted rotary operator standard IEC IP30/40 accessory for: 3VA1 250



| Model                                                                                                                                                                                                                                                                   |                                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|
| product brand name                                                                                                                                                                                                                                                      | SETRON                           |
| product designation                                                                                                                                                                                                                                                     | Accessories                      |
| Product version                                                                                                                                                                                                                                                         | Front rotary operating mechanism |
| Accessories                                                                                                                                                                                                                                                             | Front rotary operator            |
| General technical data                                                                                                                                                                                                                                                  |                                  |
| protection class IP                                                                                                                                                                                                                                                     | IP30                             |
| Mechanical Design                                                                                                                                                                                                                                                       |                                  |
| Height                                                                                                                                                                                                                                                                  | 75 mm                            |
| Width                                                                                                                                                                                                                                                                   | 105 mm                           |
| depth                                                                                                                                                                                                                                                                   | 95 mm                            |
| net weight                                                                                                                                                                                                                                                              | 220 g                            |
| Further information                                                                                                                                                                                                                                                     |                                  |
| <b>Information- and Downloadcenter (Catalogs, Brochures,...)</b><br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                                                 |                                  |
| <b>Industry Mall (Online ordering system)</b><br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9257-0EK11">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9257-0EK11</a>                                          |                                  |
| <b>Service&amp;Support (Manuals, Certificates, Characteristics, FAQs,...)</b><br><a href="https://support.industry.siemens.com/cs/ww/en/ps/3VA9257-0EK11">https://support.industry.siemens.com/cs/ww/en/ps/3VA9257-0EK11</a>                                            |                                  |
| <b>Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)</b><br><a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9257-0EK11">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9257-0EK11</a> |                                  |
| <b>CAX-Online-Generator</b><br><a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>                                                                                                                                                                      |                                  |
| <b>Tender specifications</b><br><a href="http://www.siemens.com/specifications">http://www.siemens.com/specifications</a>                                                                                                                                               |                                  |



last modified:

12/20/2020 

