



control wire tap for box terminal accessory for: 3VA12 plug-in/withdrawable
3VA20/21/22 plug-in/withdraw.

Model		
product brand name	SETRON	
product designation	control wire tap	
accessories	Control wire tap	
General technical data		
designation / of the terminal	CW-tap for TS1.X	
type of electrical connection / with control wire tap	Yes	
Connections according IEC		
connectable conductor cross-section		
• for copper cable / stranded / minimum	0.75 mm²	
• for copper cable / stranded / maximum	2.5 mm²	
tightening torque / when using copper cables		
• solid	0.75 - 2.5 mm²: 2 Nm	
• finely stranded	0.75 - 2.5 mm²: 2 Nm	
Connetctions according UL		
permissible temperature / of connectable conductor / according to UL 486A-486B	75 °C	
stripped length	0.2-0.3 in	
Certificates		
General Product Approval	EMV	Test Certificates



[Miscellaneous](#)





[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment			
	Miscellaneous	Confirmation	Miscellaneous	Environmental Confirmations	Environmental Confirmations

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
 Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
 Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9280-0WB00>
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9280-0WB00>



last modified:

8/9/2024 

