



operator kit with Bowden cable Max-Flex operator handle single epoxy-coated steel
NEMA 1, 12, 3R black = OFF, red = ON accessory for: 3VA55-59; 3VA65-69 only
for the UL market only for UL applications not approved for IEC

Model	
product brand name	SETRON
product designation	Operating unit Max-Flex, handle single
accessories	handle for Max-Flex
General technical data	
degree of protection NEMA rating	1, 3R, 12
Certificates	
General Product Approval	

[Declaration of Con-
formity](#)



[Miscellaneous](#)





EMV	Marine / Shipping	other	Environment		
 RCM	 LRS	Miscellaneous	Confirmation	Miscellaneous	Environmental Con- firmations

Environment

[Environmental Con-
firmations](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9877-0CH72>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9877-0CH72>
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9877-0CH72
CAx-Online-Generator
<http://www.siemens.com/cax>
Tender specifications
<http://www.siemens.com/specifications>



last modified:

5/26/2024 

