

withdrawable circuit breaker without guide frame 4-pole, size II, IEC
 In=2500A to 690V, AC50/60Hz Icu=66kA at 500V rear connection
 horizontal Overcurrent release ETU 15 LI protection adjustable 0.5-1 in
 Motorized/manual operating mechanism with spring charging motor AC
 50/60 Hz 208-240 V or 220-250 V DC Activation AC 50/60 Hz 230 V, 220 V
 DC With 1st auxiliary release Shunt release "F", F1 50/60 Hz 230 V AC/220
 V DC, 100% on-load factor without 2nd auxiliary release 4NO+4NC K07=
 Tripped signaling contact, 1 CO not possible with option F02 R57= Mutual
 mechanical interlock only slide-in circuit breaker 2 m

Model	
product brand name	SENTRON
product designation	ACB
design of the product	IEC 60947-2
design of the actuating element	Pushbutton
type of the driving mechanism	Manual/motorized operating mechanism with mechanical and electrical closing
design of the overcurrent release	ETU15B
General technical data	
size of the circuit-breaker	2
utilization category	B
circuit-breaker / Design	3WL1
Protection class	
protection class IP	IP20
protection class IP / on the front	IP20
protection function of the overcurrent release	LI
Suitability	
suitability for use	system protection
Product details	
design of the auxiliary switch	4 NO + 4 NC
Display and operation	
display version	without display
Connections	
arrangement of electrical connectors / for main current circuit	without guide frame
type of electrical connection / for main current circuit	Blade contacts
Mechanical Design	
fastening method	drawer unit
Further information	

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL1225-2BB45-4GA4-Z K07+R57>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WL1225-2BB45-4GA4-Z K07+R57>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)





http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL1225-2BB45-4GA4-Z K07+R57

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

8/24/2020 

