

withdrawable circuit breaker without guide frame 3-pole, size II, IEC
In=3200A to 690V, AC50/60Hz Icu=66kA at 500V rear connection
horizontal Overcurrent release ETU45 LSIN protection adjustable 0.4-1 in
with display and cubicle bus Opt.: Comm. /measuring func./ground fault/
ZSS With manual operating mechanism with storage with mechanical
request without 1st auxiliary release With 2nd auxiliary release "R", F3
Undervoltage, instant. 50/60 Hz 380-415 V AC 2NO+2NC

Model				
product brand name		SENTRON		
product designation		ACB		
design of the product		IEC 60947-2		
design of the actuating element		Pushbutton		
type of the driving mechanism		Manual operating mechanism with mechanical closing		
design of the overcurrent release		ETU45B		
General technical data				
size of the circuit-breaker		2		
utilization category		B		
circuit-breaker / Design		3WL1		
Protection class				
protection class IP		IP20		
protection class IP / on the front		IP20		
protection function of the overcurrent release		LSIN		
Suitability				
suitability for use		Plant / motor protection		
Product details				
design of the auxiliary switch		2 NO + 2 NC		
Display and operation				
display version		WITH 4-LINE DISPLAY		
Connections				
arrangement of electrical connectors / for main current circuit		without guide frame		
type of electrical connection / for main current circuit		Blade contacts		
Mechanical Design				
fastening method		drawer unit		
General Product Approval		EMC	Declaration of Conformity	Test Certificates



[UK Declaration of Conformity](#)

[Type Test Certificates/Test Report](#)

Test Certificates

Marine / Shipping

[Special Test Certificate](#)

[Miscellaneous](#)



Marine / Shipping

other

Dangerous Good

Further information

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3WL1232-2FB35-1AP2>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3WL1232-2FB35-1AP2>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3WL1232-2FB35-1AP2


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>





last modified:

8/19/2020

