

TRANSFORMER SITAS;  
 PHASES:1;  
 PN/PN(S6)(KVA):1 /5;  
 UPRI(V):400-230+/-15;  
 USEC(V):2X115;  
 ISEC(A):4,35-8,70;  
 F(HZ):50...60;  
 VECTOR GR./SHIELD WNG.:III0 /0;  
 TA/ISOKL:40 /B;  
 IP00;  
 TYPE OF TERMINALS:CAGE-CLAMP;  
 INSTALLATION:SCREW;  
 EN 61558-2-1, -2-2,  
 -2-4 >UL/CSA-RECOGNIZED< >CONTROL CIRCUIT  
 TRANSFORMER< >ISOLATION TRANSFORMER<

**General technical details:**

<b>Product designation</b>		transformer SITAS
<b>product brand name</b>		SIDAC
<b>Operating apparent output / rated value</b>	V·A	1,000
<b>Efficiency</b>		0.93
<b>Manner of switching for transformers</b>		lii0
<b>Verification of suitability</b>		CE / cRUus
<b>Product function</b>		
<ul style="list-style-type: none"> <li>• temperature surveillance</li> <li>• isolation control</li> <li>• short circuit and overload protection</li> </ul>		No No No
<b>Number of the protective coils</b>		0
<b>Short-term vector power</b>	V·A	5,000

**Inputs:**

<b>Phase number / of the inputs</b>		1
<b>Input voltage</b>		
<ul style="list-style-type: none"> <li>• _1 / rated value</li> <li>• _2 / rated value</li> <li>• _3 / rated value</li> <li>• _4 / rated value</li> <li>• _5 / rated value</li> <li>• _6 / rated value</li> </ul>	V	415 400 385 245 230 215
<b>Electrical input frequency</b>		

- minimum
- maximum

Hz	50
Hz	60

### Outputs:

<b>Phase number / of the outputs</b>		1
<b>Output voltage</b>		
• _1 / rated value	V	230
• _2 / rated value	V	115
<b>Electrical output frequency</b>		
• maximum	Hz	60
• minimum	Hz	50

### Ambient conditions:

<b>Thermal class / according to IEC 60085</b>		B
<b>Ambient temperature / rated value</b>	°C	40
<b>Protection class IP</b>		IP00

### Mechanical design:

<b>Design of the electrical connection</b>		
• secondary side / for main current circuit		Cage-Clamp terminals
• at the input / for main current circuit		Cage Clamp terminals
<b>Mounting type</b>		screws
<b>Construction form of the iron core</b>		EI 150/90
<b>Width</b>	m	0.152
<b>Height</b>	m	0.144
<b>Depth</b>	m	0.132

### Certificates/approvals:

General Product Approval	Shipping Approval	other
	 GOST	 PRS
		<a href="#">other</a>

### Further information:

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

#### Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WWW/view/en/4AM5742-8JD40-0FA1/all>

last change:

Dec 5, 2011