

TRANSFORMER SITAS;  
 PHASES:1;  
 PN/PN(S6)(KVA):4 /16;  
 UPRI(V):400-230+/-15;  
 USEC(V):230-115;  
 ISEC(A):17,4-34,8;  
 F(HZ):50...60;  
 VECTOR GR./SHIELD WNG.:III0 /0;  
 TA/ISOKL:55 /H;  
 IP00;  
 TYPE OF TERMINALS:SCREW CONNECTION;  
 INSTALLATION:SCREW;  
 EN 61558-2-1, -2-2,  
 -2-4 >UL/CSA-RECOGNIZED< >CONTROL CIRCUIT  
 TRANSFORMER< >ISOLATION TRANSFORMER<

**General technical details:**

<b>Product designation</b>		transformer SITAS
<b>product brand name</b>		SIDAC
<b>Operating apparent output / rated value</b>	V·A	4,000
<b>Efficiency</b>		0.95
<b>Manner of switching for transformers</b>		lii0
<b>Verification of suitability</b>		CE / cRUus
<b>Product function</b>		
• temperature surveillance		No
• isolation control		No
• short circuit and overload protection		No
<b>Number of the protective coils</b>		0
<b>Short-term vector power</b>	V·A	17,800

**Inputs:**

<b>Phase number / of the inputs</b>		1
<b>Input voltage</b>		
• _1 / rated value	V	415
• _2 / rated value	V	400
• _3 / rated value	V	385
• _4 / rated value	V	245
• _5 / rated value	V	230
• _6 / rated value	V	215
<b>Electrical input frequency</b>		

- minimum
- maximum

Hz	50
Hz	60

### Outputs:

<b>Phase number / of the outputs</b>		1
<b>Output voltage</b>		
• _1 / rated value	V	230
• _2 / rated value	V	115
<b>Electrical output frequency</b>		
• maximum	Hz	60
• minimum	Hz	50




### Ambient conditions:

<b>Thermal class / according to IEC 60085</b>		H
<b>Ambient temperature / rated value</b>	°C	55
<b>Protection class IP</b>		IP00

### Mechanical design:

<b>Design of the electrical connection</b>		
• secondary side / for main current circuit		screw-type terminals
• at the input / for main current circuit		screw-type terminals
<b>Mounting type</b>		screws
<b>Construction form of the iron core</b>		UI 150/75
<b>Width</b>	m	0.164
<b>Height</b>	m	0.27
<b>Depth</b>	m	0.155

### Certificates/approvals:

General Product Approval	Shipping Approval	other
	 GOST	 PRS
		<a href="#">Declaration of Conformity</a> <a href="#">other</a>

### Further information:

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/industrial-controls/catalogs>

#### Industry Mall (Online ordering system)

<http://www.siemens.com/industrial-controls/mall>

#### CAX-Online-Generator

<http://www.siemens.com/cax>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WWW/view/en/4AT3032-8JD40-0FA0/all>

last change:

Dec 5, 2011