

## PRODUCT-DETAILS

# 5512J-C02469 B1

## Outlet double with pin



### General Information

|                     |                        |
|---------------------|------------------------|
| Product ID          | 5512J-C02469 B1        |
| EAN                 | 8595017289507          |
| Catalog Description | Outlet double with pin |
| Long Description    | Outlet double with pin |

### Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8595017289507 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85366990      |

### Dimensions

|                            |         |
|----------------------------|---------|
| Product Net Width          | 0 mm    |
| Product Net Height         | 0 mm    |
| Product Net Depth / Length | 0 mm    |
| Product Net Weight         | 0.11 kg |

### Container Information

|                       |                   |
|-----------------------|-------------------|
| Package Level 1 Units | ten pack 10 piece |
| Package Level 1 Width | 0.255 m           |

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Height         | 0.104 m       |
| Package Level 1 Depth / Length | 0.201 m       |
| Package Level 1 Gross Weight   | 0.1216 kg     |
| Package Level 1 EAN            | 8595017289507 |

Technical UL/CSA

|                                     |      |
|-------------------------------------|------|
| Short-Circuit Current Rating (SCCR) | 0 mA |
|-------------------------------------|------|

Additional Information

|                                 |                                                            |
|---------------------------------|------------------------------------------------------------|
| Color                           | White                                                      |
| Connection Type                 | Screw                                                      |
| Degree of Protection            | IP20                                                       |
| Frequency (f)                   | 50...50 Hz                                                 |
| Material                        | Plastic                                                    |
| Mounting Type                   | Flush mounted (plaster)                                    |
| Number of Phases                | 1                                                          |
| Product Name                    | Outlet double with pin                                     |
| Rated Current (I <sub>n</sub> ) | 16 A                                                       |
| Rated Voltage (U <sub>r</sub> ) | 250 V                                                      |
| Surface Finishing               | Surface protection: Untreated<br>Surface finishing: Glossy |

Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000125 - Socket outlet                                   |
| ETIM 6        | EC000125 - Socket outlet                                   |
| ETIM 7        | EC000125 - Socket outlet                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Elektro-Praga → Design Swing → CoverPlates (partly incl. Insert) → Double Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Double Socket Outlets → Double Socket Outlets - Flush Mounted → Double Socket Outlets



