

## PRODUCT-DETAILS

# 5518-2029 D

Double socket outlet with earthing pins, with hinged lids, IP 44



## General Information

|                     |                                                                  |
|---------------------|------------------------------------------------------------------|
| Product ID          | 5518-2029 D                                                      |
| EAN                 | 8595017255090                                                    |
| Catalog Description | Double socket outlet with earthing pins, with hinged lids, IP 44 |
| Long Description    | Double socket outlet with earthing pins, with hinged lids, IP 44 |

## Ordering

|                        |               |
|------------------------|---------------|
| EAN                    | 8595017255090 |
| Minimum Order Quantity | 1 piece       |
| Customs Tariff Number  | 85366990      |

## Dimensions

|                            |           |
|----------------------------|-----------|
| Product Net Width          | 124 mm    |
| Product Net Height         | 93.5 mm   |
| Product Net Depth / Length | 52.7 mm   |
| Product Net Weight         | 0.2033 kg |

## Container Information

|                       |              |
|-----------------------|--------------|
| Package Level 1 Units | box 14 piece |
| Package Level 1 Width | 0.393 m      |

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Height         | 0.142 m       |
| Package Level 1 Depth / Length | 0.195 m       |
| Package Level 1 Gross Weight   | 0.2203 kg     |
| Package Level 1 EAN            | 8595017255090 |

### Technical UL/CSA

|                                     |      |
|-------------------------------------|------|
| Short-Circuit Current Rating (SCCR) | 0 mA |
|-------------------------------------|------|

### Additional Information

|                         |                                                                  |
|-------------------------|------------------------------------------------------------------|
| Color                   | Beige                                                            |
| Connection Type         | Screw                                                            |
| Degree of Protection    | IP44                                                             |
| Frequency (f)           | 50...50 Hz                                                       |
| Material                | Plastic                                                          |
| Mounting Type           | Surface mounted (plaster)                                        |
| Number of Phases        | 1                                                                |
| Product Name            | Double socket outlet with earthing pins, with hinged lids, IP 44 |
| Rated Current ( $I_n$ ) | 16 A                                                             |
| Rated Voltage ( $U_r$ ) | 250 V                                                            |
| Surface Finishing       | Surface protection: Untreated<br>Surface finishing: Glossy       |

### Classifications

|               |                                                            |
|---------------|------------------------------------------------------------|
| ETIM 5        | EC000125 - Socket outlet                                   |
| ETIM 6        | EC000125 - Socket outlet                                   |
| ETIM 7        | EC000125 - Socket outlet                                   |
| WEEE Category | 5. Small Equipment (No External Dimension More Than 50 cm) |

### Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Double Socket Outlets → Double Socket Outlets - Flush Mounted → Double Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Praktik → Double Socket Outlets



