

PRODUCT-DETAILS

5518-2929 D

Socket outlet with earthing pin, with hinged lid



General Information

Product ID	5518-2929 D
EAN	8595017255212
Catalog Description	Socket outlet with earthing pin, with hinged lid
Long Description	Socket outlet with earthing pin, with hinged lid

Ordering

EAN	8595017255212
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Width	62 mm
Product Net Height	93.5 mm
Product Net Depth / Length	52.7 mm
Product Net Weight	0.097 kg

Container Information

Package Level 1 Units	box 28 piece
Package Level 1 Width	0.393 m

Package Level 1 Height	0.142 m
Package Level 1 Depth / Length	0.195 m
Package Level 1 Gross Weight	0.10771 kg
Package Level 1 EAN	8595017255212

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0 mA
-------------------------------------	------

Additional Information

Color	Beige
Connection Type	Screw
Degree of Protection	IP44
Frequency (f)	50...50 Hz
Material	Plastic
Mounting Type	Surface mounted (plaster)
Number of Phases	1
Product Name	Socket outlet with earthing pin, with hinged lid
Rated Current (I _n)	16 A
Rated Voltage (U _r)	250 V
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Praktik → Single Socket Outlets





Product image
not available