

PRODUCT-DETAILS

5518-2969 H

Socket outlet with earthing pin, with hinged lid, for multiple mounting



General Information

Product ID	5518-2969 H
EAN	8592624054146
Catalog Description	Socket outlet with earthing pin, with hinged lid, for multiple mounting
Long Description	Socket outlet with earthing pin, with hinged lid, for multiple mounting

Ordering

EAN	8592624054146
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Width	62 mm
Product Net Height	106 mm
Product Net Depth / Length	52.7 mm
Product Net Weight	0.1002 kg

Container Information

Package Level 1 Units	box 24 piece
Package Level 1 Width	0.393 m

Package Level 1 Height	0.142 m
Package Level 1 Depth / Length	0.195 m
Package Level 1 Gross Weight	0.11279 kg
Package Level 1 EAN	8592624054146

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0 mA
-------------------------------------	------

Additional Information

Color	Brown
Connection Type	Screw
Degree of Protection	IP44
Frequency (f)	50...50 Hz
Material	Plastic
Mounting Type	Surface mounted (plaster)
Number of Phases	1
Product Name	Socket outlet with earthing pin, with hinged lid, for multiple mounting
Rated Current (I_n)	16 A
Rated Voltage (U_r)	250 V
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Surface Mounted Range → Surface Ranges Waterproof IP44 → Design Praktik → Single Socket Outlets





Product image
not available