

PRODUCT-DETAILS

5518G-A03449 C2

Socket outlet with earthing contacts



General Information

Product ID	5518G-A03449 C2
EAN	8595017200021
Catalog Description	Socket outlet with earthing contacts
Long Description	Screw-type terminals. Fixation via screws or claws. IP 40 16 A, 250 V AC

Ordering

EAN	8595017200021
Minimum Order Quantity	1 piece
Customs Tariff Number	85366990

Dimensions

Product Net Width	0 mm
Product Net Height	0 mm
Product Net Depth / Length	0 mm
Product Net Weight	0.07133 kg

Container Information

Package Level 1 Units	ten pack 10 piece
Package Level 1 Width	0.269 m

Package Level 1 Height	0.075 m
Package Level 1 Depth / Length	0.155 m
Package Level 1 Gross Weight	0.09113 kg
Package Level 1 EAN	8595017200021

Technical UL/CSA

Short-Circuit Current Rating (SCCR)	0 mA
-------------------------------------	------

Additional Information

Color	Cream white (electro white)
Connection Type	Screw
Degree of Protection	IP20
Frequency (f)	50...50 Hz
Material	Plastic
Mounting Type	Flush mounted (plaster)
Number of Phases	1
Product Name	Socket outlet with earthing contacts
Rated Current (I_n)	16 A
Rated Voltage (U_r)	250 V
Surface Finishing	Surface protection: Untreated Surface finishing: Glossy

Classifications

ETIM 5	EC000125 - Socket outlet
ETIM 6	EC000125 - Socket outlet
ETIM 7	EC000125 - Socket outlet
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)

Categories

Low Voltage Products and Systems → Switch Assortments → Flush Mounted VDE Range - Elektro-Praga → Design Swing → CoverPlates (partly incl. Insert) → Single Socket Outlets

Low Voltage Products and Systems → Switch Assortments → Socket Outlets → Single Socket Outlets → Single Socket Outlets - Flush Mounted → Single Socket Outlets





Product image
not available