

Connector for 3+0 circuit



| General data | | |
|---|-----------------|-------------|
| design of the product | connecting clip | |
| fastening method | bus mounting | |
| material of the enclosure | Cu | |
| protection class IP at connection all terminals | IP20 | |
| net weight | 61 g | |
| Connections/ Terminals | | |
| signal design | optical | |
| Indicator/remote signaling | | |
| product component remote signaling contact | No | |
| Approvals Certificates | | |
| General Product Approval | other | Environment |

[Confirmation](#)



[Miscellaneous](#)



[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

- Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SD7490-6>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5SD7490-6>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7490-6
- CAX-Online-Generator
<http://www.siemens.com/cax>



last modified:

8/8/2024 

