

Connector for 3+1 circuit



General data		
design of the product	connecting clip	
fastening method	bus mounting	
material of the enclosure	Cu	
protection class IP at connection all terminals	IP20	
net weight	74 g	
Connections/ Terminals		
signal design	optical	
Indicator/remote signaling		
product component remote signaling contact	No	
Approvals Certificates		
General Product Approval	other	Environment

[Confirmation](#)





[Miscellaneous](#)

[Confirmation](#)

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information
Information on the packaging https://support.industry.siemens.com/cs/ww/en/view/109813875
Information- and Downloadcenter (Catalogs, Brochures,...) http://www.siemens.com/lowvoltage/catalogs
Industry Mall (Online ordering system) https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5SD7490-7
Service&Support (Manuals, Certificates, Characteristics, FAQs,...) https://support.industry.siemens.com/cs/ww/en/ps/5SD7490-7
Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...) http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SD7490-7
CAX-Online-Generator http://www.siemens.com/cax



last modified:

8/8/2024 

