

NEOZED BUILT-IN FUSE BASE WITH SHOCK-HAZARD
COVER D02/63A 3-POLE,
SNAP-ON MOUNTI



Similar to image

Technical data:

Number of poles		3
Type of mounting		DIN rail
Operating current / rated value	A	63
Operating voltage / rated value	V	400
Material / of D fuse base		porcelain
Product component / Cover		Yes
Size of the fallback-system / acc. to DIN EN 60269-1		D02

Certificates/approvals:

General Product Approval



Declaration of Conformity



Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5SG5653/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SG5653

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Dec 17, 2012