

Pin busbar, can be cut 18 mm2, 3-phase+auxiliary switch 1016mm , according to UL 489, 480/277V for LS 5SJ4...-HG




Figure similar

Model	
product brand name	SETRON
product designation	Pin busbar
design of the product	Can be cut to length
General technical data	
phase number	3
Main circuit	
operational current rated value	80 A
Product details	
product feature insulated	Yes
Connections	
type of electrical connection	Pin
Mechanical Design	
width	60 mm
length	984 mm
net weight	981.52 g
Approvals Certificates	
General Product Approval	



[Confirmation](#)



[Miscellaneous](#)



other	Environment
-------	-------------

[Confirmation](#)


[Miscellaneous](#)


[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=5ST3712-3HG>
Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/5ST3712-3HG>





last modified:

3/8/2022 

