



AUXILIARY SWITCH ATTACHABLE F. RES.CUR
OP.CIRCUIT BR. 5SM1 T=55MM,
2NO

Similar to image

Technical data:		
product brand name		SETRON
Product extension		Auxiliary current switch
Number of NC contacts		0
Number of change-over switches		0
Number of NO contacts		2
Number of width units		0.5
Breaking capacity current / nominal value	A	6
Operating voltage / rated value	V	230
Design of product / factory mounted		No
Product extension / can be mounted		residual current operated circuit breaker
Number of fault signal contacts		0
Voltage type / of control voltage		AC/DC
Net weight	g	52

Certificates/approvals:

General Product Approval



GOST



VDE



ÖVE

Test Certificates

[Special Test Certificate](#)

[Type Test Certificates/Test Report](#)

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5SW3002>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5SW3002/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5SW3002


CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)

13 23



14 24

last change:

Jul 21, 2014