

TIMER, N-TYPE AC 110-230V 3A 1CO DELAY-OFF



Model		
product brandname		SETRON
Product designation		Time-delay switch
Design of the product		OFF-DELAY TIME RELEASE T55
Type of voltage		AC/DC
Dissipation		
Power loss [W]		
• for rated value of the current / at AC / in hot operating state / per pole	W	1
• maximum	W	1
Control current		
Control supply voltage		
• at DC / rated value / minimum	V	110
• at DC / rated value / maximum	V	240
• at AC / at 50 Hz / rated value / minimum	V	110
• at AC / at 50 Hz / rated value / maximum	V	240
Adjustable parameters		
Adjustable time		

- initial value
- Full-scale value

s	1
s	10

Product details

Product extension / optional / remote control

No

Connections

Type of electrical connection

- for auxiliary and control current circuit
- Plug-in socket

screw-type terminals

No

Mechanical Design

Height

mm

90

Width

mm

18

Depth

mm

64

Net weight

g

77

Equipment marking

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

K

K

General Product
Approval

Declaration of
Conformity

other



[Umweltbestätigung](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/5TT3184>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT3184/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT3184

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>



last modified:

10/17/2016