



VOLTAGE RELAY,
N-TYPE AC 230/400V 2CO 0.9/1.3+0.7/1.1

Similar to image

Technical data:		
Design of the electrical connection		screw-type terminals
Product function / undervoltage recognition of 3 phases		Yes
Product function / overvoltage recognition of 3 phases		No
Product function / undervoltage recognition of 1 phase		No
Product function / overvoltage recognition of 1 phase		No
Product function / overvoltage recognition DC		No
Product function / tension window recognition DC		No
Product function / tension window recognition of 1 phase		No
Product function / tension window recognition of 3 phases		No
Type of voltage / for monitoring		AC
Adjustable voltage range / initial value	V	161
Adjustable voltage range / final value	V	161
Design of the electrical connection / jumper socket		No
Type of voltage / for operating		AC
Number of NC contacts / for auxiliary contacts		0
Number of NO contacts / for auxiliary contacts		0
Number of change-over switches / for auxiliary contacts		2
Product function / undervoltage recognition DC		No

Measurable voltage / for AC / final value	V	310.5
Measurable voltage / for AC / initial value	V	310.5
Control supply voltage / at 60 Hz / at AC / rated value / minimum	V	230
Control supply voltage / at 50 Hz / at AC / rated value / maximum	V	230
Control supply voltage / at 60 Hz / at AC / rated value / maximum	V	230
Control supply voltage / at 50 Hz / at AC / rated value / minimum	V	230
Depth	mm	64
Height	mm	90
Width	mm	36

Certificates/approvals:

General Product Approval	Declaration of Conformity	Test Certificates	other
 GOST	 EG-Konf.	Type Test Certificates/Test Report	Environmental Confirmations

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT3408/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT3408

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

[Datanorm GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Feb 21, 2013