



VOLTAGE RELAY,
N-TYPE FOR MEDICAL USED ROOMS AC 230/400V
50/60HZ,
3-PHASE

Similar to image

Technical data:

Design of the electrical connection		screw-type terminals
Product function / undervoltage recognition of 3 phases		Yes
Product function / overvoltage recognition of 3 phases		No
Product function / undervoltage recognition of 1 phase		Yes
Product function / overvoltage recognition of 1 phase		No
Product function / overvoltage recognition DC		No
Product function / tension window recognition DC		No
Product function / tension window recognition of 1 phase		No
Product function / tension window recognition of 3 phases		No
Type of voltage / for monitoring		AC
Adjustable operating delay time / final value	s	100
Adjustable operating delay time / initial value	s	100
Adjustable voltage range / initial value	V	207
Adjustable voltage range / final value	V	207
Design of the electrical connection / jumper socket		No
Type of voltage / for operating		AC
Number of NC contacts / for auxiliary contacts		1
Number of NO contacts / for auxiliary contacts		3

Number of change-over switches / for auxiliary contacts		1
Product function / undervoltage recognition DC		No
Measurable voltage / for AC / final value	V	230
Measurable voltage / for AC / initial value	V	230
Control supply voltage / at 60 Hz / at AC / rated value / minimum	V	230
Control supply voltage / at 50 Hz / at AC / rated value / maximum	V	230
Control supply voltage / at 60 Hz / at AC / rated value / maximum	V	230
Control supply voltage / at 50 Hz / at AC / rated value / minimum	V	230
Depth	mm	55
Height	mm	90
Width	mm	72

Certificates/approvals:

General Product
Approval

Declaration of Conformity



Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<http://www.siemens.com/lowvoltage/mall>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/5TT3412/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)



http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT3412

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

[Datanorm](#) [GAEB81](#) [GAEB83](#) [RTF](#) [TXT](#)



last change:

Feb 21, 2013