SIEMENS

Product data sheet 5TT4900



AUXILIARY SWITCH WITH 1 NO AND 1 NC CONTACT FOR AC 230V FOR 5TT41 OR 5TT42

Similar to image

| Technical data: | | |
|---|---|--------------------------|
| Number of NC contacts | | 0 |
| Product extension | | Auxiliary current switch |
| Number of change-over switches | | 1 |
| Number of NO contacts | | 0 |
| Number of pitch units for width | | 0.5 |
| Breaking capacity current / nominal value | А | 5 |
| Operating voltage / rated value | V | 250 |
| Design of product / factory mounted | | No |
| Product extension / can be mounted | | remote ON switch |
| Number of fault signal contacts | | 0 |
| Type of voltage / of the control voltage | | AC |

Certificates/approvals:

General Product Approval

Declaration of Conformity

other

Environmental Confirmations

Further information:

Information- and Downloadcenter (Catalogs, Brochures,...)

http://www.siemens.com/lowvoltage/catalogs

Industry Mall (Online ordering system)

http://www.siemens.com/lowvoltage/mall

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

http://support.automation.siemens.com/WW/view/en/5TT4900/all

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TT4900

CAx-Online-Generator

http://www.siemens.com/cax

Tender specifications

Datanorm GAEB81 GAEB83 RTF TXT



last change: Feb 15, 2013