## **SIEMENS**

## Data sheet

6GK1901-1BB12-2AE0

Product type designation

Product description

## IE FC RJ45 Plug 180 (4x2)

RJ45 data connector

IE FC RJ45 PLUG 180 4X2, RJ45 PLUG CONNECTOR; CAT6A; (10/100/1000/10000MBIT/S); WITH ROBUST METAL HOUSING; FC CONNECTION TECHNOLOGY; FOR IE FC CABLE 4X2 (AWG24) 180 DGR CABLE OUTLET 1 PACKAGE = 50 PCS





For connection to IE FC TP cables 4x2, suitable for fast assembly Suitability for use with the FastConnect system

Transmission rate	
Transfer rate / for Industrial Ethernet	10 Mbit/s, 100 Mbit/s, 1000 Mbit/s, 10000 Mbit/s

Interfaces	
Number of electrical connections	
<ul> <li>for Industrial Ethernet FC TP cables</li> </ul>	8
• for network components or terminal equipment	1
Type of electrical connection	
• for Industrial Ethernet FC TP cables	integrated cut-and-clamp contacts for 8-wire TP FC installation cable
• for network components or terminal equipment	RJ45 connector
Type of electrical connection / FastConnect	Yes

Mechanical data	
Material / of the enclosure	metal
Number of reuses	10
Locking mechanism design	other

Design, dimensions and weight	
Type of cable outlet	180° cable outlet
Width	13.7 mm
Height	16 mm
Depth	55 mm
Net weight	35 g
Connectable cable cross-section	8 8 mm

Permitted ambient conditions		
Ambient temperature		
<ul><li>during operation</li></ul>	-40 +85 °C	
during storage	-40 +85 °C	
during transport	-40 +85 °C	
Relative humidity / at 25 °C / without condensation / during operation / maximum	95 %	
Protection class IP	IP20	

Product properties, functions, components / general	
Product feature	
<ul> <li>PoE capability</li> </ul>	Yes
<ul><li>PoE+capability</li></ul>	Yes
• silicon-free	Yes
Product component	
• strain relief	Yes

Standards, specifications, approvals		
Certificate of suitability		
<ul> <li>RoHS conformity</li> </ul>	Yes	
• UL approval	Yes	
• cULus approval	Yes	
<ul> <li>Railway application in accordance with EN 50155</li> </ul>	No	
Standard for structured cabling	Cat6A	

## Further Information / Internet Links

• to website: Industry Online Support

Internet-Link	
<ul> <li>to website: Selector SIMATIC NET SELECTION TOOL</li> </ul>	http://www.siemens.com/snst
• to website: Industrial communication	http://www.siemens.com/simatic-net
• to website: Industry Mall	https://mall.industry.siemens.com
• to website: Information and Download Center	http://www.siemens.com/industry/infocenter
• to website: Image database	http://automation.siemens.com/bilddb
• to website: CAx Download Manager	http://www.siemens.com/cax

https://support.industry.siemens.com

last modified: 11.03.2016