

Product type designation

RUGGEDCOM RMM2931-4

Blank Module for the RUGGEDCOM RST2228.



Suitability for operation

RST2228

Interfaces

Number of electrical connections

- for network components or terminal equipment / maximum

0

Ambient conditions

Ambient temperature

- during operation
- during storage
- during transport
- Note

-40 ... +85 °C

-40 ... +85 °C

-40 ... +85 °C

A maximum operating temperature of +85 °C is permissible for a duration of 16 hours

Relative humidity / at 25 °C / without condensation / during operation / maximum

95 %

Protection class IP

IP30 (when installed)

Design, dimensions and weights

Design

Media module

Width

99.4 mm

Height	21.6 mm
Depth	120.1 mm
Mounting type	screwed
• Installation in media module slot	Yes

Standards, specifications, approvals

Standard • for EMC • for hazardous zone • for safety / from CSA and UL • for hazardous zone / from CSA and UL • for emitted interference • for interference immunity	EN55032, IEC/EN 61000-6-2 planned cCSAus (Compliant with CSA C22.2 No. 60950-1, UL60950-1, EN60950-1, IEC60950-1) planned CISPR32, EN 55032, FCC Part15 Class A, CAN ICES-3 Class A / NMB-3 Class A IEC 61000-6-2
Certificate of suitability • relating to NEMA • CE marking • C-Tick • KC approval • E1 approval • E1 approval • Railway application in accordance with EN 50155 • Railway application in accordance with EN 50121-4 • Railway application in accordance with EN 50124-1 • Fire protection in accordance with EN 45545-2 • IEC 61850-3 • IEEE 1613	NEMA TS-2 (planned) Yes No No No No No Yes No No Yes Yes
Marine classification association • American Bureau of Shipping Europe Ltd. (ABS) • DNV GL	No No

Further information / Internet-Links

Internet-Link • to website: Industry Mall/RUGGEDCOM selector • to website: Siemens RUGGEDCOM • to website: Industry Mall • to website: Information and Download Center • to website: Image database	http://ruggedcom-selector.automation.siemens.com http://siemens.com/ruggedcom https://mall.industry.siemens.com http://www.siemens.com/industry/infocenter http://automation.siemens.com/bilddb
--	---

- to website: CAx Download Manager
- to website: Industry Online Support

last modified:

<http://www.siemens.com/cax>

<https://support.industry.siemens.com>

03/11/2020