SIEMENS

Data sheet	6GT2090-4AT12
Product type designation	Communication cable without connector
Product description	Highly flexible communication line (6-core)
	RFID SYSTEMS CONNEC. CABLE ASM - READER W/O CONNECTOR, PACKED SEPARAT. PUR, CMG, TRAILING, 120 M
Suitability for use	Cord for self-assembly of a cable between reader and a
	communication module
Cable designation	L-YC11Y 6x1x0.25 6x24AWG CMG
Wire length	120 m
Electrical data	
Loop resistance per length / maximum	160 mΩ/m
Insulation resistance coefficient	20 GΩ·m
Operating voltage	
• maximum	300 V
Mechanical data	
Number of electrical cores	6
Design of the shield	Braided shield made of tin-plated copper wires
Outer diameter	
• of cable sheath	5.4 mm
Symmetrical tolerance of the outer diameter / of cable sheath	0.2 mm
Material	
 of the wire insulation 	PVC
• of cable sheath	PUR
Color	
 of the insulation of data wires 	DIN 47100
• of cable sheath	Black
Bending radius	
with single bend / minimum permissible	21.6 mm
• with multiple bends / minimum permissible	43 mm
with continuous bending	75 mm
Number of bending cycles	3000000
Tensile load / maximum	200 N
Weight per length	45 kg/km
Permitted ambient conditions	
Ambient temperature	
 during operation 	-30 +80 °C
during storage	-30 +80 °C
	20 100 00

• during transport

-30 ... +80 °C

 during installation 	-30 +80 °C
Burning behavior	flame resistant according to IEC 60332-1-2
Chemical resistance	
• to mineral oil	resistant
● to grease	resistant
Radiological resistance / to UV radiation	resistant

Product properties, functions, components / general

Product feature	
• halogen-free	No
• silicon-free	Yes

Standards, specifications, approvals

UL/ETL listing / 300 V Rating Yes; CMG

Further Information / Internet Links

SELECTION TOOL

Internet-Link

• to website: Selector SIMATIC NET https://support.industry.siemens.com/cs/ww/en/view/67384984

• to website: Industrial communication http://www.siemens.com/ident/rfid

• to website: Industry Mall https://mall.industry.siemens.com

• to website: Information and Download Center http://www.siemens.com/industry/infocenter

• to website: Image database http://automation.siemens.com/bilddb

• to website: CAx Download Manager http://www.siemens.com/cax

• to website: Industry Online Support

https://support.industry.siemens.com

last modified: 10/12/2016