SIEMENS

Data sheet 6GT2398-1CC10

product type designation

Antenna ANT 12 including 60 cm antenna cable

********** spare part ********* RF300/RF200/MOBY E antenna ANT 12 with trailing antenna wire, length 60 cm, IP65, -25 to +70 °C, M12x 40 mm



suitability for operation	RF250R / RF350R / RF350M
radio frequencies	
transmission frequency / rated value	13.56 MHz
electrical data	
type of electrical connection / of the antenna	M8, 4-pin
design of plug-in connection	male
mechanical data	
material	Crastin
color	Pastel turquoise
tightening torque / of the screw for securing the equipment / maximum	3 N·m
mounting distance	
 relating to metal surfaces / recommended / minimum 	0 m
ambient conditions	
ambient temperature	
 during operation 	-25 +70 °C
 during storage 	-40 +85 °C
during transport	-40 +85 °C
protection class IP	IP67, front
shock resistance	according to EN 60721-3-7 Class 7M2
shock acceleration	500 m/s ²
vibrational acceleration	200 m/s ²
design, dimensions and weights	
depth	40 mm
diameter	12 mm
net weight	45 g
fastening method	2 plastic nuts M12 x 1.0
wire length / of antenna wire	0.6 m
standards, specifications, approvals	
certificate of suitability	CE, FCC, IC, cULus, Ex approval only together with 6GT2801-4AB10
certificate of suitability	
• IECEx	Yes
for IECEx / as marking	the ATEX approval of the connected reader applies
reference code	
• acc. to IEC 81346-2	TF
• according to IEC 81346-2:2019	TFB
further information / internet-Links	

Internet-Link

• to web page: selection aid TIA Selection Tool

• to website: Industrial communication

• to website: Industry Mall

• to website: Information and Download Center

• to website: Image database

to website: CAx-Download-Managerto website: Industry Online Support

last modified:

https://support.industry.siemens.com/cs/ww/en/view/67384964

 $\underline{http://www.siemens.com/ident/rfid}$

https://mall.industry.siemens.com

http://www.siemens.com/industry/infocenter

http://automation.siemens.com/bilddb

http://www.siemens.com/cax

https://support.industry.siemens.com

11/3/2021