SIEMENS

Data sheet 6XV1801-6GN10

product type designation

product description

Power Connecting Cable M12-90/M12-90

Flexible plug-in cable (4-wire), preferred length, pre-assembled with one 4-pin M12 male and one female connector (L-coded, 90° cable outlet)

Power connecting cable M12-90/M12-90 for the power supply of the terminal devices / network components: pre-assembled cable with M12 plug and M12 socket, L-coded, 4 pin, 10 m.



suitability for use	Cable for connecting the 24 V power supply to RF185C, RF186C, RF188C to IP65/67 degree of protection
cable designation	LIYY 4X1X1.5 BK
wire length	10 m
electrical data	
operating voltage / RMS value	600 V
conductor cross section / of the power line	1.5 mm²
continuous current / of the power lines	16 A
mechanical data	
number of electrical cores	4
type of electrical connection	M12-90
outer diameter	
of inner conductor	1.6 mm
 of the wire insulation 	2.3 mm
 of cable sheath 	7.7 mm
symmetrical tolerance of the outer diameter / of cable sheath	0.3 mm
conductor class	5
material	
• of the conductor	CU, blank
 of the wire insulation 	PVC
 of cable sheath 	PVC
product component / PE connection	No
marking / of cores	Color
color	
 of the power line insulation 	brown / white / blue / black
of cable sheath	Black
bending radius	
with single bend / minimum permissible	31 mm
 with multiple bends / minimum permissible 	62 mm
 with continuous bending 	62 mm
number of bending cycles	2000000
tensile load / maximum	100 N
weight per length	97 kg/km
plug	
type of plug interlock	screwed
design of plug-in connection	M12-90
connector coding	M12
connector coding / of the M12 circular connector	L-coded

ambient conditions	
ambient temperature	
during operation	-20 +90 °C
during storage	-30 +90 °C
during transport	-30 +90 °C
during installation	-20 +90 °C
fire behavior	Flame-resistant acc. to IEC 60332-1-2
chemical resistance	Trume resistant doe: to 120 00002 1 2
• to mineral oil	Oil resistant according to EN 50290-2-22 (VDE 0819), compound type TM55 (7x24h/90 °C)
• to grease	Conditional resistance
• to water	Conditional resistance
radiological resistance / to UV radiation	resistant
protection class IP	IP65 / 67
product features, product functions, product components / gen	eral
product feature	
halogen-free	No
• silicon-free	Yes
standards, specifications, approvals	
UL/ETL listing / 300 V Rating	Yes
certificate of suitability	UL2238 E300110
EAC approval	Yes
RoHS conformity	Yes
further information / internet links	103
internet link	
	https://gumgatindustry.gigggaggaggaggaggaggaggaggaggaggaggaggag
to website: Selection guide for cables and connectors	https://support.industry.siemens.com/cs/ww/en/view/109766358
to website: Image database	https://www.automation.siemens.com/bilddb
to website: Industry Online Support	https://support.industry.siemens.com
security information	
Approvals / Certificates	Siemens provides products and solutions with industrial cybersecurity functions that support the secure operation of plants, systems, machines and networks. In order to protect plants, systems, machines and networks against cyber threats, it is necessary to implement – and continuously maintain – a holistic, state-of-the-art industrial cybersecurity concept. Siemens' products and solutions constitute one element of such a concept. Customers are responsible for preventing unauthorized access to their plants, systems, machines and networks. Such systems, machines and components should only be connected to an enterprise network or the internet if and to the extent such a connection is necessary and only when appropriate security measures (e.g. firewalls and/or network segmentation) are in place. For additional information on industrial cybersecurity measures that may be implemented, please visit www.siemens.com/cybersecurity-industry. Siemens' products and solutions undergo continuous development to make them more secure. Siemens strongly recommends that product updates are applied as soon as they are available and that the latest product versions are used. Use of product versions that are no longer supported, and failure to apply the latest updates may increase customer's exposure to cyber threats. To stay informed about product updates, subscribe to the Siemens Industrial Cybersecurity RSS Feed under https://www.siemens.com/cert. (V4.7)
Industrial Communication	
PROFINET	
last modified:	5/18/2024 🖸