



Synchronous time switch Week 1 change-over contact 230 V/50 Hz 3 MW

Model		
product brand name	SETRON	
product designation	Mechanical time switch	
design of the product	Week	
design of the switching function	CO contact	
General technical data		
principle of operation		
• line-synchronous	Yes	
• quartz-controlled	No	
shortest switching time interval of channel 1	240 min	
Supply voltage		
supply voltage initial value	230 V	
supply voltage full-scale value	230 V	
type of voltage of the supply voltage	AC	
supply voltage frequency		
• minimum	50 Hz	
• maximum	50 Hz	
Protection class		
protection class IP	IP20	
Switching capacity		
switching capacity current at AC at 250 V rated value	16 A	
Product function		
product function		
• 60 min time program	No	
• automatic daylight-saving adjustment	No	
• direct operation	Yes	
• annual time program	No	
• switching preselection	Yes	
• 24 hr time program	No	
• weekly time program	Yes	
Number		
number of channels	1	
Mechanical Design		
height	83 mm	
width	53 mm	
depth	64 mm	
number of modular width units	3	
fastening method	DIN rail	
net weight	153 g	
General Product Approval		other
Declaration of Conformity		



other

Environment

[Miscellaneous](#)
[Environmental Con-
firmations](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7LF5300-6>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7LF5300-6>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF5300-6

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



