

LIGHTING TIME-DELAY SWITCH ADJUSTABLE 5 TO 20 MIN BY KEY PRESSURE DURATION FOR 230 V CONTACT 2000 W

Model		
product brandname		SETRON
Product designation		Timers
Design of the product		Staircase lighting timer

General technical data		
Switch-off prewarning		flashing
Manner of function / of the staircase lighting switch		manual
Short-circuit current rating	A	700

Voltage		
Staircase lighting timing switch reset function		resettable

Supply voltage		
Supply voltage / at AC		
• minimum	V	230
• maximum	V	230
Type of voltage / of the supply voltage		AC

Switching capacity		
Switching capacity apparent power		
• for fluorescent lamp load with DUO circuit	V·A	1 160
• for uncompensated fluorescent lamp load	V·A	1 160
Switching capacity current		
• at cos phi 0.6	A	16
• Rated value	A	16
Switching capacity active power / with filament lamp load	W	2 000

Dissipation		
Power loss [W]		
• for rated value of the current / at AC / in hot operating state / per pole	W	5
• maximum	W	5

Electricity		
Consumed current / of the light source	mA	50
Connection method for staircase lighting timer switch		3- and 4-wire-circuit

Control current		
Type of voltage		
• of control voltage_1		AC
Control voltage		
• _1 / initial value	V	230
• _1 / Full-scale value	V	230
Control voltage frequency		
• _1 / initial value	Hz	50
• _1 / Full-scale value	Hz	50

Adjustable parameters		
Adjustable OFF-delay time		
• initial value	min	0.5
• Full-scale value	min	10

Number		
Number of NC contacts		0
Number of NO contacts		1
Number of CO contacts		0

Mechanical Design		
Height	mm	90
Width	mm	18
Depth	mm	64
Installation depth	mm	64
Number of width units		1
Mounting type		DIN-busbar
Net weight	g	88

Certificates		
Equipment marking		
• acc. to DIN EN 61346-2		K
• acc. to DIN EN 81346-2		K
General Product Approval	Declaration of Conformity	other



[Umweltbestätigung](#)

Further information	
Information- and Downloadcenter (Catalogs, Brochures,...)	
http://www.siemens.com/lowvoltage/catalogs	
Industry Mall (Online ordering system)	
https://eb.automation.siemens.com/mall/en/WW/Catalog/Product/7LF6114	

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<http://support.automation.siemens.com/WW/view/en/7LF6114/all>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF6114

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://ausschreibungstexte.siemens.com/tiplv>

last modified:

10/14/2016