



Stairwell light timer, 230V, 1 NO contact 16A 250V 50Hz, electronic, setting range 0,5...10 min., for 3- or 4-wire circuit, resettable, max. glow lamp current 25mA, 1WE

Model	
product brand name	SETRON
product designation	Timers
design of the product	Staircase lighting timer
General technical data	
switch-off prewarning	without
principle of operation / of the staircase lighting switch	electronic
Voltage	
type of voltage / of the operating voltage	AC
operating voltage / at AC / minimum	230 V
operating voltage / at AC / maximum	230 V
staircase lighting timing switch reset function	resettable
Switching capacity	
switching capacity apparent power	
• for fluorescent lamp load with DUO circuit	1 000 V·A
• for fluorescent lamp load with parallel compensation	1 000 V·A
• for uncompensated fluorescent lamp load	1 000 V·A
switching capacity current	
• rated value	16 A
switching capacity active power / with incandescent lamp load	2 000 W
Dissipation	
power loss [W] / for rated value of the current / at AC / in hot operating state / per pole	0.8 W
Current	
consumed current / of the light source	50 mA
connection method for staircase lighting timer switch	3- and 4-wire-circuit
Control current	
type of voltage	
• of control voltage_1	AC
control voltage	
• _1 / initial value	230 V
• _1 / full-scale value	230 V
control voltage frequency	
• _1 / initial value	50 Hz
• _1 / full-scale value	60 Hz
Adjustable parameters	
adjustable OFF-delay time	
• initial value	0.5 min

● full-scale value	10 min
number of NC contacts	0
number of NO contacts	1
number of CO contacts	0
Mechanical Design	
height	90 mm
width	18 mm
depth	64 mm
installation depth	64 mm
number of modular width units	1
fastening method	DIN-busbar
General Product Approval	other



[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=7LF6310>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/7LF6310>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=7LF6310

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



7LF6310



