

TS15X5 ST POK 0819

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Similar to illustration





Similar to illustration

The Klippon[®] POK enclosure range is made from a high-quality glass fibre reinforced polyester and is ideal for applications and environments where corrosion resistance, impact resistance and a high IP protection class are a requirement.

Key features of the extensive product range:

- Available in 17 sizes
- Two standard finishes (colours): grey (similar to RAL 7001 for industrial use) and black (similar to RAL 9011 for harsh environments, Ex)
- Cover with stainless steel screws in cross-head / slotted design
- Moulded gasket made of silicone or chloroprene
- Fixing holes outside the sealed area to ensure high ingress protection of IP66
- Impact resistance up to 7 Joules
- Mounting directly in the enclosure or using an internal mounting plate
- Direct wall mounting possible using fixing holes or mounting feet
- Fastening thread to attach mounting rails and plates
- Weidmüller can manufacture and supply this enclosure to match customer specifications - fitted with all necessary terminals and cable glands.

General ordering data

| Version | Rail, TS 15, Width: 177 mm, without slot, Steel, galvanized, chromium-plated |
|------------|--|
| Order No. | 8000003892 |
| Туре | TS15X5 ST POK 0819 |
| GTIN (EAN) | 4050118652574 |
| Qty. | 20 pc(s). |



TS15X5 ST POK 0819

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany

www.weidmueller.com

Technical data

Dimensions and weights

| Depth | 5 mm | Depth (inches) | 0.197 inch |
|----------------|------------|-----------------|------------|
| Height | 15 mm | Height (inches) | 0.591 inch |
| Net weight | 32.85 g | Width | 177 mm |
| Width (inches) | 6.968 inch | | |

General information

| Installation advice | Direct mounting | Integral fixing | Screwed |
|---------------------|-----------------|------------------|-----------------------|
| Material | Steel | Stamp dimensions | 4.5 x 20 mm |
| Standards | | Surface finish | galvanized, chromium- |
| | DIN EN 60715 | | plated |

Classifications

| ETIM 6.0 | EC001285 | ETIM 7.0 | EC001285 |
|-------------|-------------|-------------|-------------|
| ECLASS 9.0 | 27-40-06-02 | ECLASS 9.1 | 27-40-06-02 |
| ECLASS 10.0 | 27-40-06-02 | ECLASS 11.0 | 27-40-06-02 |

Approvals

| ROHS | Conform | |
|------|---------|--|

Downloads

| Engineering Data | <u>STEP</u> | |
|--------------------|--------------------------|--|
| Brochure/Catalogue | Catalogues in PDF-format | |