

EM-CONNECTIVITY-BOX 96**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Product image****EM Connectivity Box**

Our EM Connectivity Box is a perfect combination of established products from the Weidmüller range. You can choose between aluminium and plastic enclosures to meet your requirements. The enclosures are milled to fit and fitted with the requisite cable bushings. A modular terminal block to suit the measuring instruments to be fitted is already installed inside.

There is also a labelled cable set which is specially adapted to the respective measuring equipment.

Your benefits at a glance:

- Fast and cost-saving installation
- No significant changes required in the panel and power distribution.
- All the fuses, short-circuit devices and labelled cables and circuit diagrams required are included
- No engineering required
- Protection classes up to IP65 (EM Connectivity Box TS)
- Can be ordered as a standard item
- Delivery from a lot size of 1

General ordering data

Version	Protection degree: IP54, Housing main material: Aluminium
Order No.	8000028950
Type	EM-CONNECTIVITY-BOX 96
GTIN (EAN)	4050118527445
Qty.	1 pc(s).

EM-CONNECTIVITY-BOX 96

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Depth	111 mm	Depth (inches)	4.37 inch
Height	310 mm	Height (inches)	12.205 inch
Net weight	4,800 g	Width	230 mm
Width (inches)	9.055 inch		

Measuring current input

Housing main material	Aluminium
-----------------------	-----------

Technical data

Protection degree	IP54
-------------------	------

Insulation coordination

Housing main material	Aluminium
-----------------------	-----------

Downloads

Brochure/Catalogue	Catalogues in PDF-format
--------------------	--

EM-CONNECTIVITY-BOX 96

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Drawings

Dimensioned drawing

