

EM-CONNECTIVITY-BOX TS**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Zdjęcie produktu**EM Connectivity Box**

Our EM Connectivity Box is a perfect combination of established products from the Weidmüller range. You can choose between aluminium and plastic enclosures to meet your requirements. The enclosures are milled to fit and fitted with the requisite cable bushings. A modular terminal block to suit the measuring instruments to be fitted is already installed inside.

There is also a labelled cable set which is specially adapted to the respective measuring equipment.

Your benefits at a glance:

- Fast and cost-saving installation
- No significant changes required in the panel and power distribution.
- All the fuses, short-circuit devices and labelled cables and circuit diagrams required are included
- No engineering required
- Protection classes up to IP65 (EM Connectivity Box TS)
- Can be ordered as a standard item
- Delivery from a lot size of 1

Ogólne dane zamówieniowe

Wykonanie	Stopień ochrony: IP65, Podstawowy materiał obudowy: aluminium
Nr zam.	8000028951
Typ	EM-CONNECTIVITY-BOX TS
GTIN (EAN)	4050118527506
Ilość	1 Szt.

EM-CONNECTIVITY-BOX TS**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com**Dane techniczne****Wymiary i ciężary**

Głębokość	111 mm	Głębokość (cale)	4,37 inch
Masa netto	5 004 g	Szerokość	230 mm
Szerokość (cale)	9,055 inch	Wysokość	310 mm
Wysokość (cale)	12,205 inch		

Wejście prądu pomiarowego

Podstawowy materiał obudowy	aluminium
-----------------------------	-----------

Dane techniczne

Stopień ochrony	IP65
-----------------	------

Koordynacja izolacji

Podstawowy materiał obudowy	aluminium
-----------------------------	-----------

Pobieranie

Broszura/Katalog	Catalogues in PDF-format
------------------	--

EM-CONNECTIVITY-BOX TS

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Rysunki

Rysunek wymiarowy

