

EM-CONNECTIVITY-BOX 144**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Изображение изделия**EM Connectivity Box**

Our EM Connectivity Box is a perfect combination of established products from the Weidmüller range. You can choose between aluminium and plastic enclosures to meet your requirements. The enclosures are milled to fit and fitted with the requisite cable bushings. A modular terminal block to suit the measuring instruments to be fitted is already installed inside.

There is also a labelled cable set which is specially adapted to the respective measuring equipment.

Your benefits at a glance:

- Fast and cost-saving installation
- No significant changes required in the panel and power distribution.
- All the fuses, short-circuit devices and labelled cables and circuit diagrams required are included
- No engineering required
- Protection classes up to IP65 (EM Connectivity Box TS)
- Can be ordered as a standard item
- Delivery from a lot size of 1

Основные данные для заказа

Исполнение	Вид защиты: IP42, Основной материал корпуса: Пластмасса
Номер для заказа	8000028952
Тип	EM-CONNECTIVITY-BOX 144
GTIN (EAN)	4050118527452
Кол.	1 Шт.

EM-CONNECTIVITY-BOX 144

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Технические данные**Размеры и массы**

Высота	430 мм	Высота (в дюймах)	16,929 inch
Глубина	120 мм	Глубина (дюймов)	4,724 inch
Масса нетто	5 512 g	Ширина	250 мм
Ширина (в дюймах)	9,842 inch		

Технические данные

Вид защиты	IP42
------------	------

Вход измерительного тока

Основной материал корпуса	Пластмасса
---------------------------	------------

Соответствие стандартам по изоляции

Основной материал корпуса	Пластмасса
---------------------------	------------

Загрузки

Брошюра/каталог	Catalogues in PDF-format
-----------------	--

EM-CONNECTIVITY-BOX 144

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Изображения

Габаритный чертеж

