

AP MCZ1.5 1674**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Product image

Open miniature housing in modular terminal format with five tension clamp connections. A transparent hinged top plate can be used for labelling and provides access to potentiometer and status displays. Plug-in cross-connectors can be used to interconnect the three top connections. A cover plate for closing off the housing is also available.

General ordering data

Version	Small housing, OMNIMATE Housing - TERMINALBOX grey-beige, End plate, Width: 1.5 mm
Order No.	8389030000
Type	AP MCZ1.5 1674
GTIN (EAN)	4008190386849
Qty.	50 pc(s).

AP MCZ1.5 1674**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Technical data**Dimensions and weights**

Height	55.85 mm	Height (inches)	2.199 inch
Length	91 mm	Length (inches)	3.583 inch
Net weight	5.961 g	Width	1.5 mm
Width (inches)	0.059 inch		

General data

Colour	grey-beige	Encapsulation option	Yes
Protection degree	IP20		

Material data

Comparative Tracking Index (CTI)	≥ 600	Insulating material	Wemid (PA)
Insulating material group	IIIa	UL 94 flammability rating	V-0

Classifications

ETIM 6.0	EC000886	ETIM 7.0	EC000886
ECLASS 9.1	27-14-11-33	ECLASS 10.0	27-14-11-33
ECLASS 11.0	27-14-11-33		

Approvals

Approvals



ROHS

Conform

Downloads

Engineering Data	STEP
Engineering Data	WSCAD, Zuken E3.S

AP MCZ1.5 1674

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

Drawings

