

## IE-P-IP67

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

[www.weidmueller.com](http://www.weidmueller.com)



SnapIn plug-in connectors according to IEC 61076-3-106  
ver.6 in plastic, with RJ45 insert

### General ordering data

|            |                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------|
| Version    | Connecting plug, Plug, IP67, Cat.6A / Class E <sub>A</sub> (ISO/IEC 11801 2010), Variant 6 to IEC 61076-3-106 |
| Order No.  | <a href="#">8808380000</a>                                                                                    |
| Type       | IE-P-IP67                                                                                                     |
| GTIN (EAN) | 4032248505968                                                                                                 |
| Qty.       | 1 pc(s).                                                                                                      |

Creation date March 29, 2021 11:19:28 PM CEST

Catalogue status 12.03.2021 / We reserve the right to make technical changes.

## IE-P-IP67

Weidmüller Interface GmbH &amp; Co. KG

Klingenbergstraße 26

D-32758 Detmold

Germany

www.weidmueller.com

## Technical data

## Dimensions and weights

|            |      |
|------------|------|
| Net weight | 34 g |
|------------|------|

## Temperatures

|                       |                |
|-----------------------|----------------|
| Operating temperature | -40 °C...70 °C |
|-----------------------|----------------|

## Environmental Product Compliance

|            |                |
|------------|----------------|
| REACH SVHC | Lead 7439-92-1 |
|------------|----------------|

## General data

|                        |                                                       |                       |                     |
|------------------------|-------------------------------------------------------|-----------------------|---------------------|
| Connection 1           | RJ45                                                  | Connection 2          | IDC                 |
| Description of article | Plug                                                  | Wiring                | EIA/TIA T568 A      |
| Colour                 | Light Grey                                            | Housing main material | PA 66, UL 94: V-0   |
| Category               | Cat.6A / Class E <sub>A</sub> (ISO/IEC 11801 2010)    | Contact surface       | Gold over nickel    |
| Type of mounting       | Floor-mounted, for exposed connections, Wall mounting | Shielding             | 360° shield contact |
| Protection degree      | IP67                                                  | Plugging cycles       | 750                 |

## General standards

|                             |          |                    |                                       |
|-----------------------------|----------|--------------------|---------------------------------------|
| Certificate No. (GERMLLOYD) | 33451-06 | Connector standard | IEC 61076-3-106 Var. 6, IEC 60603-7-5 |
|-----------------------------|----------|--------------------|---------------------------------------|

## Classifications

|             |             |             |             |
|-------------|-------------|-------------|-------------|
| ETIM 6.0    | EC001121    | ETIM 7.0    | EC001121    |
| ECLASS 9.0  | 27-44-03-90 | ECLASS 9.1  | 27-44-03-90 |
| ECLASS 10.0 | 27-44-03-90 | ECLASS 11.0 | 27-44-03-90 |

## Approvals

Approvals



|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

## Downloads

|                                             |                                                                     |
|---------------------------------------------|---------------------------------------------------------------------|
| Approval/Certificate/Document of Conformity | <a href="#">GOST Approval</a><br><a href="#">Germanischer Lloyd</a> |
| User Documentation                          | <a href="#">MAN IE GUIDE DE</a><br><a href="#">MAN IE GUIDE EN</a>  |

## IE-P-IP67

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany

[www.weidmueller.com](http://www.weidmueller.com)

## Drawings

### Dimensioned drawing

