

ALPHA 160, wall-mounted cabinet, IP43, Protection class 2, H: 800 mm, W: 550 mm, T: 140 mm, RAL 9016



| Model                                                |                      |
|------------------------------------------------------|----------------------|
| Product brand name                                   | ALPHA 160            |
| Product designation                                  | Wall-mounted cabinet |
| Design of the product                                | Surface mounting     |
| Surface processing                                   | powder-coated        |
| Protection class                                     |                      |
| Protection class IP                                  | IP43                 |
| Suitability for interaction / lightning protection   | Yes                  |
| Suitability for use / for outside use                | No                   |
| Appearance                                           |                      |
| RAL color number                                     | 9016                 |
| Product component                                    |                      |
| • cable entry                                        | Yes                  |
| • Mounting plate                                     | No                   |
| Product extension / optional / Side-by-side mounting | No                   |
| Mechanical Design                                    |                      |
| Height                                               | 800 mm               |
| Width                                                | 550 mm               |

|                             |         |
|-----------------------------|---------|
| Depth                       | 140 mm  |
| Installation depth          | 140 mm  |
| Net weight                  | 10.2 kg |
| Material / of the enclosure | Steel   |

## Certificates

### Reference code

- acc. to DIN EN 61346-2
- acc. to DIN EN 81346-2

U

UC

| General Product Approval                                                          | Declaration of Conformity                                                                     | Test Certificates                                  |                               |                                          |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------|----------------------------------------------------|-------------------------------|------------------------------------------|
|  | <br>EG-Konf. | <a href="#">Type Test Certificates/Test Report</a> | <a href="#">Miscellaneous</a> | <a href="#">Special Test Certificate</a> |

[Miscellaneous](#)

[Type Test Certificates/Test Report](#)

[Miscellaneous](#)

[Special Test Certificate](#)

## other

[Miscellaneous](#)

## Further information

### Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK1032-3KK21>

### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8GK1032-3KK21>

### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK1032-3KK21](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK1032-3KK21)

### CAX-Online-Generator

<http://www.siemens.com/cax>

### Tender specifications

<http://www.siemens.com/specifications>



