



ALPHA 630 Universal, Door IP43, IP55, Transparent (simple version), RAL 7035, H=2000, W=600

| Model                               |                              |                           |                   |
|-------------------------------------|------------------------------|---------------------------|-------------------|
| product brand name                  | ALPHA Universal              |                           |                   |
| product designation                 | Door                         |                           |                   |
| design of the product               | transparent (simple version) |                           |                   |
| design of the surface               | Powder-coated                |                           |                   |
| design of the product / EMC version | No                           |                           |                   |
| Protection class                    |                              |                           |                   |
| protection class IP                 | IP43 / IP55                  |                           |                   |
| operating resource protection class | safety class 1               |                           |                   |
| Appearance                          |                              |                           |                   |
| RAL color number                    | RAL 7035                     |                           |                   |
| color                               | Light gray                   |                           |                   |
| Product details                     |                              |                           |                   |
| product component                   |                              |                           |                   |
| • ventilation                       |                              |                           |                   |
| • viewing door                      |                              |                           |                   |
| Mechanical Design                   |                              |                           |                   |
| height                              | 2 000 mm                     |                           |                   |
| width                               | 600 mm                       |                           |                   |
| net weight                          | 17 kg                        |                           |                   |
| material                            | steel                        |                           |                   |
| General Product Approval            |                              | Declaration of Conformity | Test Certificates |



[Miscellaneous](#)



[UK Declaration of Conformity](#)

[Special Test Certificate](#)

other

[Miscellaneous](#)

### Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

**Industry Mall (Online ordering system)**

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8GK9505-8KK22>

**Service&Support (Manuals, Certificates, Characteristics, FAQs,...)**

<https://support.industry.siemens.com/cs/ww/en/ps/8GK9505-8KK22>

**Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)**

[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK9505-8KK22](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9505-8KK22)

**CAX-Online-Generator**

<http://www.siemens.com/cax>

**Tender specifications**

<http://www.siemens.com/specifications>



