


SIVACON S4 cover 3VL7-8 1250A 1600A 3-pole, 4-pole withdraw. H: 500mm W: 800mm



Model	
design of the product	VL1250, VL1600
Protection class	
protection class IP	IP30
suitability for use / for outside use	No
Appearance	
color	light grey
product feature / ventilation can be integrated	No
Mechanical Design	
height	500 mm
width	800 mm
depth	10 mm
installation location	masking frame
net weight	2 890 g
material	sheet-steel
General Product Approval	
Declaration of Conformity	



[Miscellaneous](#)



[Miscellaneous](#)



other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ2050-8BA06>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ2050-8BA06>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2050-8BA06

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



