



SIKUS/SIVACON touch protection cover Supporting spacing structure and assembly kits system 8GK Degree of protection IP30, IP40 Height 1800 mm Width 850 mm

Model		
product designation	masking frame ALPHA 8GK	
design of the product	for frame paneling	
design of the surface	powder-coated	
design	assembly kit	
RAL color number	RAL 7035	
color	light grey	
Product details		
product component		
• cable entry	No	
• lock	No	
width	850 mm	
installation width / for cabinet installation	850 mm	
shape / of inner subdivisions		
• shape 2a	No	
• shape 2b	No	
• shape 3a	No	
• shape 3b	No	
• shape 4a	No	
• shape 4b	No	
material	sheet-steel	
Certificates		
reference code / acc. to DIN EN 61346-2	U	
General Product Approval		Declaration of Conformity



[Miscellaneous](#)



[Miscellaneous](#)

other

[Miscellaneous](#)

Further information

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=8PQ3000-1BA85>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/8PQ3000-1BA85>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ3000-1BA85

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



